MINERVA

fashions

in

HAND KNITS

JAMES LEES AND SONS
COMPANY
Bridgeport, Penna.

Lees

Volu 84
Pri

EATON'S

No. 8400 as shown on cover

THE NEW YORKER SUIT

Instructions on page 18

MARY LOUISE CUSTIS
Fashion Director

Photography by Howell Conant

Accessories by B. Altman & Co., New York

JAMES LEES AND SONS COMPANY
BRIDGEPORT, PENNSYLVANIA

NEW YORK OFFICE: 295 Fifth Avenue
New York 16, N. Y.

CHICAGO OFFICE: 222 N. Bank Drive
Chicago 54, Ill.

LOS ANGELES OFFICE: 714 S. Hill Street
Los Angeles 14, Calif.

Another Famous Product • Lees Carpets

Copyright 1952

First Edition

Printed in U.S.A.



OUR LATEST HAND KNIT COLLECTION

INTRODUCES FIFTEEN DESIGNS FOR YOU WHO ARE WISE IN THE WAYS OF FASHION.

ONE OF THE WONDERFUL THINGS ABOUT MINERVA'S HAND KNIT FASHIONS FOR ALL FOUR SEASONS IS THE NEW TIME AND DOLLAR SAVING IDEA CREATED TO MAKE IT EASY AND SPEEDY FOR THE NOVICE OR THE EXPERIENCED IN KNITTING TO DUPLICATE ANY ORIGINAL DESIGN IN A HEAVENLY YARN OR NYLON RIBBON BY MINERVA.

Number 8403

The Quick-Knit Basic Dress

Sizes 12, 14, 16, 18 and 20 (as shown on opposite page)

Original made of Minerva Sparkletone Rug Yarn—Color: Natural

MATERIALS REQUIRED:

Minerva Sparkletone Rug Yarn (2 ounce skein)

Size 12	Size 14	Size 16	Size 18	Size 20
9 Skeins	10 Skeins	12 Skeins	14 Skeins	16 Skeins

Knitting Needles: 1 "Boye" Circular Needle Size 8—29 inch
1 Pair "Boye" Size 8—14 inch

Gauge: 5 Sts. to 1 inch
6 rows to 1 inch

1 "Boye" Steel Crochet Hook Size 0

SIZES: 12 14 16 18 20

SKIRT: With Circular Needle cast on

216 Sts. 216 Sts. 224 Sts. 224 Sts. 232 Sts.

join, being careful not to twist Sts.

Row 1—

K.13 K.13 K.13 K.13 K.14
*P.1, Y.O., P.1,
K.25 K.25 K.26 K.26 K.27
repeat from * 6 times more, P.1, Y.O., P.1,
K.12 K.12 K.13 K.13 K.13

Row 2—

K.13 K.13 K.13 K.13 K.14
*P.1, K.1, P.1,
K.25 K.25 K.26 K.26 K.27
repeat from * 6 times more, P.1, K.1, P.1,
K.12 K.12 K.13 K.13 K.13

Sts. on Needle:
224 Sts. 224 Sts. 232 Sts. 232 Sts. 240 Sts.

Repeat Row 2 four times more, P. 1 row for turn of hem, then repeat Row 2 for Pattern (being careful to P. same Sts., as the K. St. between will be dropped when binding off at top of Skirt). Work even for

4″ 5″ 5″ 6″ 6″

(for 30 inch Skirt—for longer or shorter Skirt make adjustments). Next row decrease 8 Sts. by K.2 together in center of each K. Panel. Continue to decrease in this manner every 3 inches

——— 1 time 3 times 4 times 4 times

then every 2 inches

12 times 10 times 7 times 5 times 5 times

and at the same time, when Skirt measures 24 inches from turn of hem, turn at end of row (center of Panel) and work back and forth for placket opening (P. the P. Sts. and K. the K. Sts. as they face you).

After

13th 12th 11th 10th 10th

decrease in each Panel, work even for

2″ 2″ 1″ 1″ 1″

On next row decrease

——— ——— 8 Sts. 6 Sts. 4 Sts.

Sts. on Needle:

120 Sts. 128 Sts. 136 Sts. 146 Sts. 156 Sts.

When Skirt measures 30 inches (or desired length), bind off all Sts., dropping the K. St. between the 2 P. Sts. off the needle and letting it run down entire length of Skirt, Y.O. and bind off the Y.O. as a St. (to replace the dropped St.).

Turn up hem and sew.

BLOUSE—BACK: With Straight Needles cast on

54 Sts. 59 Sts. 64 Sts. 69 Sts. 74 Sts.

Row 1—

K.5 K.6 K.7 K.8 K.9
*P.1, Y.O., P.1,
K.12 K.13 K.14 K.15 K.16
repeat from * 2 times more, P.1, Y.O., P.1,
K.5 K.6 K.7 K.8 K.9

Row 2—

P.5 P.6 P.7 P.8 P.9
*K.1, P.1, K.1,
P.12 P.13 P.14 P.15 P.16
repeat from * 2 times more, K.1, P.1, K.1,
P.5 P.6 P.7 P.8 P.9

Sts. on Needle:
58 Sts. 63 Sts. 68 Sts. 73 Sts. 78 Sts.

Row 3—

K.5 K.6 K.7 K.8 K.9
*P.1, K.1, P.1,
K.12 K.13 K.14 K.15 K.16
repeat from * 2 times more, P.1, K.1, P.1,
K.5 K.6 K.7 K.8 K.9

Repeat Rows 2 and 3 for Pattern, increasing 1 St. each side every 1½ inches 4 times.

When work measures

7½″ 7½″ 7½″ 8″ 8″

(or desired length to underarm), ending with Row 2 of Pattern.

To Shape Cap Sleeves: Cast on 3 Sts. at end of each of the next 6 rows,

Sts. on Needle:

84 Sts. 89 Sts. 94 Sts. 99 Sts. 104 Sts.

adding 1 Pattern each side as follows:

(continued on page 21)

The Quick-Knit Basic Dress

Number 8403

Instructions on opposite page

Number 8404

The Quick-Knit Stole

Size 13½" x 51" (as shown on opposite page)

Original made of Minerva Sparkletone Rug Yarn—Color: Natural

MATERIALS REQUIRED:

Minerva Sparkletone Rug Yarn (2 ounce skein)
6 Skeins

Knitting Needles: 1 Pair "Boye" Size 8—14 inch

Gauge: 5 Sts. to 1 inch
6 rows to 1 inch

1 "Boye" Steel Crochet Hook Size 0

Cast on 58 Sts. Work in Pattern as follows:

Row 1—*K.13, P.1, Y.O., P.1, repeat from * across row, ending K.13.

Row 2—*P.13, K.1, P.1, K.1, repeat from * across row, ending P.13 (61 Sts. on needle).

Row 3—*K.13, P.1, K.1, P.1, repeat from * across row, ending K.13.

Repeat Rows 2 and 3 for Pattern until work measures 51 inches from start, ending with Row 2.

Next row bind off all Sts., dropping the K. St. between the 2 P. Sts. off the needle and letting it run down entire length of Stole, Y.O. and bind off the Y.O. as a St. (to replace the dropped St.).

EDGING: Fasten 3 strands of yarn (cut slightly longer than length of Stole) to right hand corner of Stole on right side of work. With ball of yarn, work 1 row of S.C. over these 3 strands. Break yarn and fasten, then fasten the 3 strands to corner. Join yarn at start of last row and *1 S.C. in next St., Ch.1, skip 1 St., repeat from * across row. Work same Edging at other side of Stole.

TASSELS: (Make 10) Wind yarn around a 3 inch cardboard about 66 times. Tie at one end, leaving 3 inch strand. Cut loops at other end. Wind yarn around Tassel ¾ inch from top and fasten. Fasten 1 Tassel to each corner of Stole and at each end of the dropped Sts.

Number 8405

The Jerkin Dress

Sizes 12, 14, 16, 18 and 20 (as shown on opposite page)

Original made of Minerva Velveen—Color 1: Rubens
Color 2: White
Color 3: Ferrara

SKIRT: Same as No. 8400. For Materials Required and Instructions see page 18.

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

Jerkin:	Size 12	Size 14	Size 16	Size 18	Size 20
Color 1	4 Balls	5 Balls	6 Balls	7 Balls	8 Balls
Color 2	1 Ball	1 Ball	1 Ball	2 Balls	2 Balls
Color 3	1 Ball	1 Ball	1 Ball	2 Balls	2 Balls

Knitting Needles: 1 Pair "Boye" Size 1—14 inch
1 Pair "Boye" Size 2—14 inch

Gauge: 8 Sts. to 1 inch (Stockinette St.)

PATTERN STITCH FOR FRONTS OF JERKIN: (Multiple of 4 Sts.)

With Color 1 work 4 rows of Stockinette St., do not break strand, tie on Color 2.

Row 5—With Color 2 K.2, *with Color 1 Y.O. needle 2 times, Color 2 K.4, repeat from * across, ending K.2, break Color 1 strand and tie.

Row 6—With Color 2 P.2, *slip single Y.O. loop from left to right hand needle (dropping 1 Y.O.), P.4, repeat from * across, ending P.2.

Row 7—K.2, *slip loop, K.4, repeat from * across, ending K.2.

Row 8—P.2, *slip loop, P.4, repeat from * across, ending P.2, do not break strand, tie on Color 3.

Row 9—*With right hand needle pass front of loop over the first 2 Sts., then with Color 3 K. these 2 Sts., with Color 2 Y.O. needle 2 times, insert right hand needle in back of same loop, with Color 3 K. next 2 Sts., then with left hand needle pass loop over these 2 Sts., repeat from * across row, break Color 2 strand.

Row 10—With Color 3 work same as Row 6.

Row 11—Same as Row 7.

Row 12—Same as Row 8. Tie on Color 1.

Row 13—With Colors 1 and 3 work same as Row 9, break Color 3 strand.

Rows 14, 15 and 16—With Color 1 work same as Rows 6, 7 and 8. Join Color 2.

Repeat the 4 rows of Pattern St., alternating the 3 colors (12 rows to 1 Pattern), being careful to keep Pattern even when increasing, decreasing and binding off.

(continued on page 21)

Number 8404
THE QUICK-KNIT STOLE

Instructions on opposite page

Number 8405
THE JERKIN DRESS

Instructions on opposite page

Number 8406

The Ribbon Textured Suit

Sizes 12, 14, 16, 18 and 20 (as shown on opposite page)

Original made of Minerva Monterey and Minerva Nylon Ribbon
Color: Pearl

Hand Loomed Skirt Style 4 may be used in place of Hand Knitted Skirt (see page 30).

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

	Size 12	Size 14	Size 16	Size 18	Size 20
Skirt	16 Skeins	17 Skeins	19 Skeins	21 Skeins	23 Skeins
Jacket	9 Skeins	10 Skeins	11 Skeins	12 Skeins	13 Skeins

—OR—

Minerva Velveen (1 ounce ball)

	Size 12	Size 14	Size 16	Size 18	Size 20
Skirt	13 Balls	14 Balls	16 Balls	17 Balls	19 Balls
Jacket	8 Balls	9 Balls	10 Balls	11 Balls	12 Balls

—AND—

Minerva Nylon Ribbon (100 yard spool)

	Size 12	Size 14	Size 16	Size 18	Size 20
Jacket	4 Spools	5 Spools	5 Spools	6 Spools	7 Spools

Knitting Needles: 1 "Boye" Circular Needle Size 2—29 inch (Skirt)
1 Pair "Boye" Size 3—14 inch
1 "Boye" Needle Size 3 (for Border of Collar)

Gauge: 8 Sts. to 1 inch, 12 rows to 1 inch } Skirt—Size 2 Needle

7 Sts. to 1 inch, 10 rows to 1 inch } Jacket—Size 3 Needles

1 "Boye" Steel Crochet Hook Size 2

SIZES: 12 14 16 18 20

SKIRT: With Circular Needle and Yarn cast on

360 Sts. 360 Sts. 396 Sts. 396 Sts. 432 Sts.

join, being careful not to twist Sts.

Row 1—*K.18, P.18, repeat from * around.

Repeat Row 1 for 17 inches (for 30 inch Skirt—for shorter or longer Skirt make adjustments here).

Next row decrease 1 St. at center of each panel,

20 Sts. 20 Sts. 22 Sts. 22 Sts. 24 Sts.

decreased, then *K.17, P.17, repeat from * around for

2″ 3″ 2″ 3″ 2″

Decrease as before, then every

2″ 3″ 2″ 3″ 2″
2 times 1 time 2 times 1 time 2 times

more.

Sts. on Needle: (Hipline—23 inches from start)

280 Sts. 300 Sts. 308 Sts. 330 Sts. 336 Sts.

When Skirt measures

24½″ 24½″ 25″ 24½″ 25″

decrease 1 St. in each panel as before, then every

1½″ 1½″ 2″ 1½″ 2″
3 times 3 times 2 times 3 times 2 times

more.

Sts. on Needle:

200 Sts. 220 Sts. 242 Sts. 242 Sts. 264 Sts.

Work even until Skirt measures 30 inches (or desired length) from start.

WAISTBAND: Work in Ribbing of K.1, P.1, decreasing

——— 8 Sts. 18 Sts. ——— 8 Sts.

across row. Work even for 1½ inches, bind off loosely in Ribbing.

Crochet casing for elastic (see page 31) inside of Waistband. Work 1 row of S.C. around lower edge.

JACKET:

PATTERN STITCH: (Multiple of 9 Sts. plus 2)

With Yarn cast on Sts. Join Ribbon.

Row 1—*With Yarn K.2, with Ribbon K. next St., wrapping Ribbon around needle 2 times loosely, repeat from * across, ending K.2 with Yarn, cut Ribbon.

Row 2—*With Yarn P.2, slip 1 Ribbon St. (dropping 1 loop), repeat from * across, ending P.2.

Row 3—*With Yarn K.2, slip 1 Ribbon St., repeat from * across, ending K.2.

Row 4—*With Yarn P.2, slip 1 Ribbon St., repeat from * across, ending P.2.

Row 5—*With Yarn K.2, drop Ribbon St. off the needle, K. next 2 Sts., with left hand needle pick up the dropped Ribbon St. and K. (with Yarn), K. next Ribbon St., skip next 2 Sts., K. next Ribbon St. (in front) leave St. on needle, then K. the 2 skipped Sts., slip Ribbon St. off, repeat from * across, ending K.2 (4 Yarn Sts. each side and 6 Yarn Sts. between the 3 Ribbon Sts. across).

Row 6—With Yarn P. across, join Ribbon.

Row 7—With Yarn K.4, *wrap Ribbon 2 times around needle loosely in each of the next 3 Sts., with Yarn K.6, repeat from * across, ending with Yarn K.4, cut Ribbon.

Row 8—P.4, *slip 3 Ribbon Sts. (dropping 1 loop in each St.), P.6, repeat from * across, ending P.4.

Row 9—K.4, *slip 3 Ribbon Sts., K.6, repeat from * across, ending K.4.

Row 10—P.4, *slip 3 Ribbon Sts., P.6, repeat from * across, ending P.4.

Row 11—*K.2, skip next 2 Sts., K.1 Ribbon St. (in front), K. the 2 skipped Sts., K. next Ribbon St., drop next Ribbon St. off needle, K.2, with left hand needle pick up the dropped Ribbon St. and K., repeat from * across, ending K.2.

(continued on page 22)



The Ribbon Textured Suit

Number 8406

Instructions on opposite page

Suggestion: Order the skirt hand-loomed and save time

Number 8407

The Box-Jacket Suit Dress

Sizes 12, 14, 16, 18 and 20 (as shown on opposite page)

Originals made of Minerva Monterey—Color 1: Riviera Brown
Color 2: White

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

	Size 12	Size 14	Size 16	Size 18	Size 20
Dress:					
Color 1	22 Skeins	23 Skeins	26 Skeins	29 Skeins	32 Skeins
Color 2	2 Skeins	2 Skeins	2 Skeins	3 Skeins	3 Skeins
Jacket:					
Color 1	14 Skeins	15 Skeins	16 Skeins	17 Skeins	18 Skeins

Knitting Needles: 1 "Boye" Circular Needle Size 3—29 inch
1 Pair "Boye" Size 3—14 inch

Gauge: 7 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 4

SIZES: 12 14 16 18 20

DRESS—POCKET FACINGS: (Make 2) With Color 1 and Straight Needles cast on 28 Sts. Work in Stockinette St. for 4 inches, slip Sts. on St. Holder.

SKIRT: With Color 1 and Circular Needle cast on
370 Sts. 380 Sts. 390 Sts. 400 Sts. 410 Sts.

join, being careful not to twist Sts. K. around for 1 inch, P.1 row on right side of work for turn of hem. K. around for
3″ 3″ 3″ 5″ 5″

(for 30 inch Skirt—for shorter or longer Skirt make adjustments). Next row decrease 10 Sts. around as follows:
*K.35 *K.36 *K.37 *K.38 *K.39

K.2 together, repeat from * around, placing a marker in each decrease.

Continue to decrease 10 Sts. in this manner (1 St. over each marker and having 1 St. less between decreases every decreasing row) every 2 inches
11 times 11 times 11 times 10 times 10 times

more.

Sts. on Needle: (25 inches from P. row of hem)
250 Sts. 260 Sts. 270 Sts. 290 Sts. 300 Sts.

Divide Sts. in center between 2 decreases for placket opening and work back and forth in Stockinette St. Work even for 1 inch. Decrease 10 Sts. as before, then every ½ inch 3 times more.

Sts. on Needle:
210 Sts. 220 Sts. 230 Sts. 250 Sts. 260 Sts.

Next K. row work Pockets as follows:
K.12 K.14 K.16 K.19 K.21

bind off next 28 Sts. for Pocket,
K.25 K.26 K.27 K.31 K.32

bind off next 28 Sts. for Pocket, K. to end of row. Next row P. the Pocket Facings over the bound-off Sts., then continue to decrease 10 Sts. every ½ inch
3 times 3 times 3 times 4 times 3 times

more. Work ½ inch, decrease
5 Sts. 4 Sts. 4 Sts. ——— 6 Sts.

Sts. on Needle:
175 Sts. 186 Sts. 196 Sts. 210 Sts. 224 Sts.

When Skirt measures 30 inches (or desired length) from P. row of hem, bind off.

Turn up hem and sew. Sew Pocket Facings to wrong side. Work 3 rows of S.C. across top edge of Skirt and Pockets.

BLOUSE—BACK: With Color 1 and Straight Needles cast on
92 Sts. 100 Sts. 106 Sts. 114 Sts. 120 Sts.

Work in Stockinette St. for ½ inch even. Increase 1 St. each side, then every ¾ inch 9 times more.

Sts. on Needle:
112 Sts. 120 Sts. 126 Sts. 134 Sts. 140 Sts.

When work measures
8″ 8″ 8¼″ 8½″ 8½″

from start (or desired length to underarm),

To Shape Armholes: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
5 times 5 times 5 times 7 times 7 times

Sts. on Needle:
88 Sts. 96 Sts. 102 Sts. 106 Sts. 112 Sts.

Work 1 inch even. Divide Sts. for back opening. Join another ball of yarn at center and work both sides at the same time.

When armholes measure
7″ 7″ 7½″ 7½″ 8″

(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off
8 Sts. 9 Sts. 10 Sts. 10 Sts. 11 Sts.

at each armhole edge every other row 3 times. Bind off remaining
20 Sts. 21 Sts. 21 Sts. 23 Sts. 23 Sts.

(each side) for back of neck.

(continued on page 24)

Another Famous Product — Lees Carpets

Number 8407

THE BOX-JACKET SUIT DRESS

Instructions on opposite page

Number 8408

The Pyramid Cape

Size 14 to 16 (as shown on opposite page)

Original made of Minerva Fingering Yarn—Color: Black with Gold Tinsel

MATERIALS REQUIRED:
Minerva Fingering Yarn (1 ounce ball)
9 Balls

—AND—

Gold Tinsel (100 yard spool)
2 Spools
Knitting Needles: 1 "Boye" Circular Needle Size 4—29 inch
1 Pair "Boye" Size 4—10 inch

Gauge: 7 Sts. to 1 inch
1 Pattern (29 rows) to 2½ inches

1 "Boye" Steel Crochet Hook Size 2

Starting at lower edge, with Circular Needle and Yarn cast on 542 Sts. Working back and forth, K.20 rows (Garter St.).

Row 21—K.12 (Front Border), join Gold, then with Yarn and Gold K. across to last 12 Sts., drop Gold (but do not break), with Yarn K.12 (Front Border).

Row 22—With Yarn K.12, pick up Gold and with Yarn and Gold P. across to last 12 Sts., drop Gold, with Yarn K.12.
Repeat Rows 21 and 22 three times more (8 rows).

Row 29—Same as Row 21, decreasing 50 Sts. evenly, by K.2 together about every 9th and 10th St. across the Gold Stripe (keeping Front Borders even). Break Gold.
With Yarn K.20 rows.

Row 50—With Yarn K.12, join Gold, with Yarn and Gold P. across to last 12 Sts., drop Gold, with Yarn K.12.
Row 51—With Yarn K.12, Gold and Yarn K. to last 12 Sts., drop Gold, with Yarn K.12.

(continued on page 25)

Number 8409

The Camisole Blouse

Sizes 12, 14 and 16 (as shown on opposite page)

Original made of Minerva Nylon Ribbon—Color: Hyacinth

MATERIALS REQUIRED:
Minerva Nylon Ribbon (100 yard spool)

Size 12	Size 14	Size 16
7 Spools	7 Spools	8 Spools

Knitting Needles: 1 Pair "Boye" Size 9—14 inch

Gauge: 6 Sts. to 1 inch
5 rows to 1 inch

1 "Boye" Steel Crochet Hook Size 0

PATTERN STITCH: (Multiple of 4 Sts.)

Row 1—K. (right side of work).
Row 2—*P.3 together, increase 2 Sts. in next St. by K.1, P.1, K.1, in same St., repeat from * across.
Row 3—K.
Row 4—*K.1, P.1, K.1, in first St., P.3 together, repeat from * across.
Repeat these 4 rows for Pattern (being careful to keep Pattern even when decreasing and increasing each side).

SIZES:	12	14	16

BACK: Cast on

80 Sts.	84 Sts.	92 Sts.

Work in Pattern St., decreasing 1 St. each side every inch 2 times. When work measures 3 inches from start, increase 1 St. each side, then every 4th row 10 times more.
Sts. on Needle:

98 Sts.	102 Sts.	110 Sts.

When work measures 12 inches from start (or desired length to underarm),
To Shape Armholes: Bind off

5 Sts.	5 Sts.	6 Sts.

at beginning of each of the next 2 rows, then 2 Sts. at beginning of next

4 rows	4 rows	6 rows

then decrease 1 St. each side every other row

2 times	2 times	1 time

Sts. on Needle:

76 Sts.	80 Sts.	84 Sts.

When armholes measure

2"	2"	2½"

(measured straight),

(continued on page 26)

Another Famous Product — Lees Carpets

Number 8408
THE PYRAMID CAPE

Instructions on opposite page

Number 8409
THE CAMISOLE BLOUSE

Instructions on opposite page

Number 8410

The Sleeveless Slipover

Sizes 12, 14, 16, 18 and 20 (as shown on opposite page)

Original made of Minerva Monterey—Color: Canary

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18	Size 20
6 Skeins	7 Skeins	8 Skeins	9 Skeins	10 Skeins

Knitting Needles: 1 Pair "Boye" Size 0—14 inch
1 Pair "Boye" Size 3—14 inch
1 Set of "Boye" Double Point Needles Size 0—7 inch

Gauge: 7 Sts. to 1 inch (Size 3 Needles—Stockinette St.)

1 "Boye" Steel Crochet Hook Size 2

SIZES:	12	14	16	18	20

BACK: With Size 0 Needles cast on

98 Sts.	104 Sts.	112 Sts.	118 Sts.	126 Sts.

Work in Ribbing of K.1, P.1, for 3 inches. Change to Size 3 Needles and work in Stockinette St. for 1 inch. Increase 1 St. each side, then every 1 inch 7 times more.

Sts. on Needle:

114 Sts.	120 Sts.	128 Sts.	134 Sts.	142 Sts.

When work measures

12″	12½″	12½″	13″	13″

from start (or desired length to underarm),

To Shape Armholes: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 5 times.

When armholes measure

7″	7″	7½″	7½″	8″

(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off

8 Sts.	8 Sts.	9 Sts.	9 Sts.	10 Sts.

at beginning of each of the next

4 rows	8 rows	8 rows	4 rows	4 rows

then

7 Sts.	———	———	10 Sts.	11 Sts.

(continued on page 26)

Number 8411

The Waist-Length Cardigan

Sizes 12, 14, 16, 18 and 20 (as shown on opposite page)

Original made of Minerva Monterey—Color: Dove

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18	Size 20
9 Skeins	10 Skeins	11 Skeins	13 Skeins	15 Skeins

Knitting Needles: 1 Pair "Boye" Size 0—14 inch
1 Pair "Boye" Size 3—14 inch

Gauge: 7 Sts. to 1 inch (Size 3 Needles—Stockinette St.)

1 "Boye" Steel Crochet Hook Size 4

SIZES:	12	14	16	18	20

BACK: With Size 0 Needles cast on

96 Sts.	104 Sts.	110 Sts.	118 Sts.	124 Sts.

Work in Ribbing of K.1, P.1, for 3 inches. Change to Size 3 Needles and work in Stockinette St. Increase 1 St. each side every ¾ inch 8 times.

Sts. on Needle:

112 Sts.	120 Sts.	126 Sts.	134 Sts.	140 Sts.

When work measures

12½″	12½″	12½″	13″	13″

from start (or desired length to underarm),

To Shape Armholes: Bind off

7 Sts.	7 Sts.	8 Sts.	8 Sts.	8 Sts.

at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

5 times	5 times	7 times	7 times	5 times

Sts. on Needle:

88 Sts.	96 Sts.	96 Sts.	104 Sts.	114 Sts.

When armholes measure

7¼″	7¼″	7½″	8″	8″

(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off

7 Sts.	8 Sts.	8 Sts.	9 Sts.	10 Sts.

(continued on page 26)

Another Famous Product — Lees Carpets

Number 8410
THE SLEEVELESS SLIPOVER

Instructions on opposite page

Number 8411
THE WAIST-LENGTH CARDIGAN

Instructions on opposite page

Number 8412

The Full Skirted Sweater Dress

Sizes 12, 14, 16 and 18 (as shown on opposite page)

Original made of Minerva Fingering Yarn—Color: Carioca Green

MATERIALS REQUIRED:

Minerva Fingering Yarn (1 ounce ball)

Size 12	Size 14	Size 16	Size 18
20 Balls	21 Balls	23 Balls	25 Balls

—OR—

Minerva Sports Yarn (2 ounce ball)

Size 12	Size 14	Size 16	Size 18
12 Balls	12 Balls	13 Balls	14 Balls

Knitting Needles: 1 Pair "Boye" Size 3—14 inch

Gauge: 8 Sts. to 1 inch
10 rows to 1 inch

1 "Boye" Steel Crochet Hook Size 4

PATTERN STITCH: (Multiple of 20 Sts.)

Row 1—K.8, *P.4, K.16, repeat from * across, ending P.4, K.8.

Row 2—P.8, *K.4, P.16, repeat from * across, ending K.4, P.8.

Repeat Rows 1 and 2 two times more (6 rows).

K.1 row, P.1 row (Stockinette St.) for 8 rows.

Row 15—P.2, *K.16, P.4, repeat from * across, ending K.16, P.2.

Row 16—K.2, *P.16, K.4, repeat from * across, ending P.16, K.2.

Repeat Rows 15 and 16 two times more (6 rows).

Work 8 rows in Stock nette St.

Repeat these 28 rows for Pattern St. (being careful to keep Pattern even when decreasing or increasing each side).

SIZES: 12 14 16 18

SKIRT—BACK: (Work 2 Panels) Cast on 120 Sts. Work in Pattern St. for

4″ 5″ 6″ 7″

(for 30 inch Skirt—for shorter or longer Skirt make adjustments here). Decrease 1 St. each side, then every ¾ inch

34 times 32 times 30 times 28 times

more.

Sts. on Needle:

50 Sts. 54 Sts. 58 Sts. 62 Sts.

Work even until work measures 30 inches from start (or desired length), bind off.

FRONT: Cast on

320 Sts. 320 Sts. 340 Sts. 340 Sts.

Work in Pattern St. for

5″ 5″ 3″ 3½″

Decrease 1 St. each side, then every ¾ inch

32 times 32 times 35 times 34 times

more.

Sts. on Needle:

254 Sts. 254 Sts. 268 Sts. 270 Sts.

Work even until Front measures same as Back. Next row K.3 Sts. together

38 times, K.26 37 times, K.32 38 times, K.40 37 times, K.48

K.3 Sts. together

38 times 37 times 38 times 37 times

Sts. on Needle:

102 Sts. 106 Sts. 116 Sts. 122 Sts.

Bind off.

Sew seams, leaving 5 inches open at left side for placket. Work 2 rows of S.C. around lower edge and 4 rows at top edge. Crochet casing for elastic (see page 31) inside of waistband.

BLOUSE—BACK: Cast on

112 Sts. 120 Sts. 128 Sts. 136 Sts.

Start Pattern St. as follows:

Row 1—

K.4 K.8 K.12 K.16

*P.4, K.16, repeat from * across, ending P.4,

K.4 K.8 K.12 K.16

Row 2—

P.4 P.8 P.12 P.16

*K.4, P.16, repeat from * across, ending K.4,

P.4 P.8 P.12 P.16

Continue in Pattern St. and increase 1 St. each side every 8th row 8 times.

Sts. on Needle:

128 Sts. 136 Sts. 144 Sts. 152 Sts.

Work even until work measures

8″ 8″ 8½″ 9″

from start (or desired length to underarm).

To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 6 times.

Sts. on Needle:

100 Sts. 108 Sts. 116 Sts. 124 Sts.

Divide Sts. for back opening as follows: Work across

50 Sts. 54 Sts. 58 Sts. 62 Sts.

slip remaining Sts. on St. Holder or join another ball of yarn and work both sides at the same time.

When armhole measures

7″ 7″ 7½″ 8″

(measured straight from bound-off Sts. at underarm),

To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts. 14 Sts.

at armhole edge every other row 3 times.

Bind off remaining

17 Sts. 18 Sts. 19 Sts. 20 Sts.

for back of neck.

FRONT: Work same as Back (omitting back opening) until armholes measure

5″ 5″ 5½″ 5½″

(continued on page 27)

The Full Skirted Sweater Dress

Number 8412

Instructions on opposite page

Number 8413

THE MIDDY DRESS

Left: Blouse belted with matching Skirt

Right: Blouse beltless with separate Shorts

Instructions on page 28

Number 8414

THE "YEAR ROUND" DRESS

Instructions on page 29

Another Famous Product — Lees Carpets

Number 8400

The New Yorker Suit

Sizes 12, 14, 16, 18 and 20 (as shown on front cover)

Original made of Minerva Velveen—Color: Rubens

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

	Size 12	Size 14	Size 16	Size 18	Size 20
Skirt	13 Balls	14 Balls	15 Balls	16 Balls	17 Balls
Jacket	15 Balls	16 Balls	17 Balls	18 Balls	19 Balls

—OR—

Minerva Monterey (1 ounce skein)

	Size 12	Size 14	Size 16	Size 18	Size 20
Skirt	15 Skeins	16 Skeins	18 Skeins	19 Skeins	20 Skeins
Jacket	18 Skeins	19 Skeins	20 Skeins	22 Skeins	23 Skeins

Knitting Needles: 1 Pair "Boye" Size 2—14 inch

Gauge: 8 Sts. to 1 inch
12 rows to 1 inch

SIZES: 12 14 16 18 20

SKIRT—BACK: Cast on
184 Sts. 192 Sts. 200 Sts. 208 Sts. 216 Sts.

Work in Stockinette St. for 1 inch, then P.1 row on right side for turn of hem. Continue in Stockinette St., decreasing 1 St. each side every 2½ inches 2 times, then every inch 18 times (for 30 inch Skirt—for shorter or longer Skirt make adjustments).
Sts. on Needle: (Hipline—23 inches from P. row of hem)
144 Sts. 152 Sts. 160 Sts. 168 Sts. 176 Sts.

Decrease 1 St. each side every ½ inch 14 times.
Sts. on Needle:
116 Sts. 124 Sts. 132 Sts. 140 Sts. 148 Sts.

When work measures 30 inches (or desired length) from P. row of hem, bind off.

FRONT: Work same as Back.

Sew seams, leaving 7 inches open at left side for placket. Cut Skirt Belting to desired waist measurement (to be fastened with hooks and eyes). Sew Belting to top edge of Skirt. Sew slide fastener in placket. Turn up hem and sew.

JACKET—PATTERN STITCH: (Multiple of 6 Sts.)
Row 1—(Right side of work) K.
Row 2—*P.4, with yarn over the needle K.2, pass this Y.O. over the 2 K. Sts., repeat from * across.
Row 3—K.
Row 4—P.1, *with yarn over the needle K.2, pass Y.O. over the 2 K. Sts., P.4, repeat from * across, ending P.3.
Repeat these 4 rows for Pattern (being careful to keep Pattern even when decreasing or increasing at side edges).

BACK: Cast on
132 Sts. 138 Sts. 144 Sts. 150 Sts. 156 Sts.

Work in Stockinette St. for 1 inch, K.1 row on wrong side for turn of hem, then work in Pattern St. Decrease 1 St. each side every ¾ inch 7 times.
Sts. on Needle:
118 Sts. 124 Sts. 130 Sts. 136 Sts. 142 Sts.

When work measures 6 inches from turn of hem, place marker for waistline. Increase 1 St. each side every 8th row
9 times 10 times 10 times 11 times 11 times

Sts. on Needle:
136 Sts. 144 Sts. 150 Sts. 158 Sts. 164 Sts.

When work measures
14″ 14½″ 14½″ 14¾″ 15″

from turn of hem (or desired length) to underarm,
To Shape Armholes: Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 7 times.
Sts. on Needle:
112 Sts. 120 Sts. 126 Sts. 134 Sts. 140 Sts.

Work even until armholes measure
7½″ 8″ 8″ 8½″ 9″

(measured straight from bound-off Sts. at underarm).

To Shape Shoulders: Bind off
13 Sts. 14 Sts. 15 Sts. 15 Sts. 16 Sts.

at beginning of each of the next 6 rows. Bind off remaining Sts. for back of neck.

LEFT FRONT: Cast on
72 Sts. 78 Sts. 84 Sts. 84 Sts. 90 Sts.

Work hem same as at Back, then work in Pattern St., decreasing 1 St. at side edge every
1″ ¾″ ¾″ 1″ ¾″
4 times 6 times 8 times 4 times 6 times

Sts. on Needle:
68 Sts. 72 Sts. 76 Sts. 80 Sts. 84 Sts.

When work measures 6 inches from turn of hem, place a marker for waistline, then increase 1 St. at side edge every ¾ inch 8 times.
Sts. on Needle:
76 Sts. 80 Sts. 84 Sts. 88 Sts. 92 Sts.

When Front measures 8 inches from marker at waistline, bind off 24 Sts. at side edge, then on next row cast on 24 Sts. again for dart. Work Front 1 inch longer than Back to underarm, allowing for dart.

To Shape Armhole: Bind off 8 Sts. at side edge, then 2 Sts. every other row 2 times, then decrease 1 St. every other row
6 times 6 times 6 times 6 times 7 times

Sts. on Needle:
58 Sts. 62 Sts. 66 Sts. 70 Sts. 73 Sts.

Another Famous Product — Lees Carpets

On next row,

To Shape Neck: Decrease 1 St. at front edge, then every

4th row	4th row	4th row	3rd row	3rd row
18 times	19 times	20 times	12 times	7 times

more, then every 4th row

———	———	———	12 times	17 times

AT THE SAME TIME when armhole measures same as at Back,

To Shape Shoulder: Bind off

13 Sts.	14 Sts.	15 Sts.	15 Sts.	16 Sts.

at armhole edge every other row 3 times.

Place markers for 6 Buttons at front edge (first marker 3½ inches from turn of hem, 6th marker ½ inch from first decrease at neck edge).

RIGHT FRONT: Work to correspond with Left Front, having decreases and increases at opposite sides and working first Buttonhole to correspond with first marker by work 4 Sts., bind off 5 Sts., work to end of row. On next row cast on 5 Sts. over the bound-off Sts. (Buttonholes may be worked by machine after the Jacket is completed).

SLEEVES: Cast on

70 Sts.	76 Sts.	76 Sts.	82 Sts.	82 Sts.

Work hem same as at Back, then work in Pattern St., increasing 1 St. each side every ¾ inch

21 times	20 times	20 times	19 times	21 times

Sts. on Needle:

112 Sts.	116 Sts.	116 Sts.	120 Sts.	124 Sts.

When Sleeve measures

17″	17¼″	17¼″	17½″	17½″

from turn of hem (or desired length),

To Shape Cap of Sleeve: Bind off 5 Sts. at beginning of each of the next 2 rows. Decrease 1 St. each side every row 3 times, then every other row until 38 Sts. remain. Bind off 2 Sts. at beginning of each of the next 2 rows, then 3 Sts., then 4 Sts. Bind off remaining 20 Sts.

DOUBLE COLLAR: Cast on 84 Sts. Work in Pattern St., decreasing 1 St. each side every 4th row 21 times (42 Sts. on needle). Work even for about 10 or 10½ inches (measure with neck edge, allowing for 84 rows to finish). Increase 1 St. each side, then every 4th row 20 times more. Work 3 rows, bind off.

Sew shoulder seams. Sew Sleeves in place. Sew darts. Sew underarm and sleeve seams. Face front edges with grosgrain ribbon, working around Buttonholes. Fold Collar and sew seam at each end. Sew Collar to neck edge. Sew narrow ribbon across neck edge, shoulder seams and at inside of waistline. Turn up hems and sew.

Number 8401

The Mesh Blouse

Sizes 12, 14, 16, 18 and 20 (as shown on back cover)

Original made of Minerva Velveen—Color: Pink

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18	Size 20
5 Balls	5 Balls	6 Balls	7 Balls	8 Balls

—OR—

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18	Size 20
6 Skeins	6 Skeins	8 Skeins	9 Skeins	10 Skeins

About 260 Large Pearls
About 520 Small Pearls

Knitting Needles: 1 Pair "Boye" Size 2—14 inch

Gauge: 4 Sts. to 1 inch, 5 rows to 1 inch } Pattern St.—without stretching

1 "Boye" Steel Crochet Hook Size 4

PATTERN STITCH:

Row 1—K.1, *K.1, insert point of left hand needle in this St. and K. it again 4 times more (making 5 chain Sts. in 1 St.), repeat from * across, ending K. last St. (right side of work).
Row 2—P.
Repeat these 2 rows for Pattern St.

SIZES: 12 14 16 18 20

BACK: Cast on

96 Sts.	100 Sts.	108 Sts.	116 Sts.	120 Sts.

Work in Ribbing of K.1, P.1, for 3 inches. Next row decrease (loosely)

32 Sts.	32 Sts.	36 Sts.	40 Sts.	40 Sts.

as follows:

——— K.3, K.2 together ——— K.2 together 2 times ———

*K.1, K.2 together, repeat from * across, ending

——— K.2 ——— K.2 together 2 times ———

Sts. on Needle:

64 Sts.	68 Sts.	72 Sts.	76 Sts.	80 Sts.

Work in Pattern St., increasing 1 St. each side every 2 inches 4 times.
Sts. on Needle:

72 Sts.	76 Sts.	80 Sts.	84 Sts.	88 Sts.

(continued on page 20)

Number 8401 (continued from page 19)

When work measures 13 inches from start (or desired length to underarm),

To Shape Armholes: Bind off

4 Sts.	4 Sts.	4 Sts.	6 Sts.	6 Sts.

at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 5 times.
Sts. on Needle:

54 Sts.	58 Sts.	62 Sts.	62 Sts.	66 Sts.

To Shape Neck: Work across

23 Sts.	25 Sts.	25 Sts.	25 Sts.	27 Sts.

slip these Sts. on St. Holder, bind off next

8 Sts.	8 Sts.	12 Sts.	12 Sts.	12 Sts.

On remaining

23 Sts.	25 Sts.	25 Sts.	25 Sts.	27 Sts.

work Left Shoulder as follows: At neck edge bind off 4 Sts. every other row 2 times.
Sts. on Needle:

15 Sts.	17 Sts.	17 Sts.	17 Sts.	19 Sts.

Decrease 1 St. at neck edge and increase 1 St. at armhole edge every other row (always same number of Sts. on needle)

10 times	11 times	11 times	11 times	11 times

Work armhole edge even and continue to decrease at neck edge

3 times	2 times	2 times	2 times	1 time

more,
Sts. on Needle:

12 Sts.	15 Sts.	15 Sts.	15 Sts.	18 Sts.

AND when armhole measures

7½″	7¾″	7¾″	8″	8″

(measured straight from bound-off Sts. at underarm),

To Shape Shoulder: Bind off

4 Sts.	5 Sts.	5 Sts.	5 Sts.	6 Sts.

at armhole edge every other row 3 times.

Join yarn at neck edge and work Right Shoulder to correspond.

FRONT: Work same as Back.

Sew shoulder and underarm seams. Work 3 rows of S.C. around armhole and 5 rows around neck edge (holding in to desired size).

EDGING: *Ch.1, skip 1 St., Slip St. in next St., repeat from * around armholes and neck edge.

Trim with Pearls as illustrated.

Number 8402

The Off-the-Shoulder Cardigan

Sizes 12, 14, 16 and 18 (as shown on back cover)

Original made of Minerva Velveen—Color: Pink

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16	Size 18
5 Balls	6 Balls	7 Balls	8 Balls

—OR—

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18
6 Skeins	8 Skeins	9 Skeins	10 Skeins

12 Pearl Buttons.
About 600 Small Pearls

Knitting Needles: 1 Pair "Boye" Size 2—14 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 4

SIZES:	12	14	16	18

BACK: Cast on

104 Sts.	112 Sts.	120 Sts.	128 Sts.

Work in Stockinette St. for 4 inches even. Increase 1 St. each side, then every ½ inch 11 times more.
Sts. on Needle:

128 Sts.	136 Sts.	144 Sts.	152 Sts.

Work even until work measures 12 inches from start (or desired length to underarm).

To Shape Armholes: Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 9 times.
Sts. on Needle:

100 Sts.	108 Sts.	116 Sts.	124 Sts.

When armholes measure

3½″	3½″	4″	4″

(measured straight from bound-off Sts. at underarm), bind off.

LEFT FRONT: Cast on

60 Sts.	64 Sts.	68 Sts.	72 Sts.

Work in Stockinette St. for 4 inches even. Increase 1 St. at side edge, then every ½ inch 11 times more.
Sts. on Needle:

72 Sts.	76 Sts.	80 Sts.	84 Sts.

When Front measures same as Back to underarm,
To Shape Armhole: Bind off 5 Sts. at side edge, then decrease 1 St. every other row 9 times.
Sts. on Needle:

58 Sts.	62 Sts.	66 Sts.	70 Sts.

When armhole measures same as at Back, bind off.

Place markers for 12 Buttons at front edge, having first marker 4½ inches from lower edge, last marker ½ inch from top edge.

RIGHT FRONT: Work to correspond with Left Front, having increases and decreases at opposite side and working Buttonholes to correspond with markers as follows: K.2, bind off 3 Sts., work to end of row. On next row cast on 3 Sts. over the bound-off Sts.

SLEEVES: Cast on

92 Sts.	96 Sts.	100 Sts.	104 Sts.

Work in Stockinette St. for 2 inches even.
To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 12 times.
Sts. on Needle:

56 Sts.	60 Sts.	64 Sts.	68 Sts.

Work even until Cap of Sleeve measures

3½″	3½″	4″	4″

(measured straight). Bind off.

Sew underarm and sleeve seams. Sew Sleeves in place. Work 1 row of S.C. across top edge and lower edge, then work 1 row around entire Blouse and 2 rows at edge of Sleeves. Face front edges with grosgrain ribbon, working around Buttonholes. Sew 2 snap fasteners to lower front edge and 1 at neck edge. Sew strands of Pearls around neck edge and Sleeves as illustrated. Draw 2 strands of elastic thread through S.C. Sts. on wrong side of neck edge to shape neckline.

Number 8403 (continued from page 2)

Row 1—K.3, *P.1, K.1, P.1,

K.12	K.13	K.14	K.15	K.16

repeat from * 4 times more, P.1, K.1, P.1, K.3.

Row 2—P.3, *K.1, P.1, K.1,

P.12	P.13	P.14	P.15	P.16

repeat from * 4 times more, K.1, P.1, K.1, P.3.

Repeat last 2 rows, increasing 1 St. each side every inch 5 times and AT THE SAME TIME, when work measures 11 inches from start (at center), divide Sts. for back opening as follows: Work to center of Back

———	decrease 1 St.	———	decrease 1 St.	———

join another ball of yarn and work both sides at the same time.

When sleeve edge measures

6″	6″	6¼″	6½″	7″

To Shape Sleeves and Shoulders: Bind off

7 Sts.	7 Sts.	8 Sts.	8 Sts.	8 Sts.

at each sleeve edge every other row

4 times	4 times	5 times	4 times	5 times

dropping 1 K. St. off needle between 2 P. Sts. 2 times, Y.O., bind off the Y.O. as a St. (to replace the dropped St.), bind off

8 Sts.	10 Sts.	———	10 Sts.	4 Sts.

1 time. Bind off remaining

11 Sts.	11 Sts.	12 Sts.	12 Sts.	13 Sts.

for back of neck (dropping off 1 more K. St.).

FRONT: Work same as Back (omitting back opening) until work measures 2½ inches less than the Back (measured at center).
To Shape Neck: Bind off

6	7	8	9	10

center Sts. (slip Sts. of Left Shoulder on St. Holder and work Right Shoulder). Bind off 3 Sts. at neck edge every other row 2 times (dropping 1 K. St. between 2 P. Sts.), then 2 Sts. 1 time and at the same time when sleeve edge measures same as at Back, shape Sleeve and Shoulder to correspond with Back.

Join yarn at neck edge and work Left Shoulder to correspond.

Sew shoulder and sleeve seams. Sew underarm seams, leaving 3 inches open at left side for placket. Work 2 rows of S.C. around edge of Sleeves and turn under for hem.

EDGING AT NECK EDGE: On right side of work, join yarn at neck edge with a Slip St.
Row 1—*Y.O. hook, draw up 1 loop in next St., Y.O. hook, draw up 1 loop in next St., Y.O. and through all 5 loops on hook, Ch.1, repeat from * around neck edge, Ch.1, turn.
Row 2—Work 1 Slip St. loosely in each St. around.

Sew Blouse to Skirt (matching Patterns). Work 1 row of Slip St. around placket and back opening. Sew slide fasteners in place. Sew grosgrain ribbon to inside of waistline, fasten with hooks and eyes. Tape shoulder and sleeve seams.

Number 8405 (continued from page 4)

SIZES:	12	14	16	18	20

JERKIN—BACK: With Color 1 and Size 1 Needles cast on

92 Sts.	100 Sts.	108 Sts.	116 Sts.	124 Sts.

Work in Ribbing of K.2, P.2, for 3½ inches, increasing 14 Sts. evenly across last row. Change to Size 2 Needles and work in Stockinette St., increasing 1 St. each side every 6th row 11 times.
Sts. on Needle:

128 Sts.	136 Sts.	144 Sts.	152 Sts.	160 Sts.

When work measures 12 inches from start (or desired length to underarm),
To Shape Armholes: Bind off 3 Sts. at beginning of each of the next 2 rows, 2 Sts. at beginning of next 6 rows, then decrease 1 St. each side every other row

4 times	4 times	4 times	5 times	8 times

(continued on page 22)

Number 8405 (continued from page 21)

Sts. on Needle:
102 Sts. 110 Sts. 118 Sts. 124 Sts. 126 Sts.

When armholes measure

7½" 8" 8" 8½" 8½"
(measured straight from bound-off Sts. at underarm),
To Shape Shoulders: Bind off

5 Sts. 6 Sts. 6 Sts. 7 Sts. 7 Sts.
at beginning of each of the next

6 rows 12 rows 6 rows 12 rows 12 rows
then
6 Sts. ——— 7 Sts. ——— ———
at beginning of next
6 rows ——— 6 rows ——— ———
Bind off remaining Sts. for back of neck.

LEFT FRONT: With Color 1 and Size 1 Needles cast on

52 Sts. 56 Sts. 60 Sts. 64 Sts. 68 Sts.
Work Ribbing same as at Back, increasing 8 Sts. evenly across last row.
Sts. on Needle:
60 Sts. 64 Sts. 68 Sts. 72 Sts. 76 Sts.
Change to Size 2 Needles and Pattern St. Work 16 rows even.
Increase 1 St. at side edge, then every 6th row 9 times more.
Sts. on Needle:
70 Sts. 74 Sts. 78 Sts. 82 Sts. 86 Sts.

When Front measures same as Back to underarm,
To Shape Armhole: Bind off 4 Sts. at side edge, 3 Sts. (every other row) one time, 2 Sts. 3 times, then decrease 1 St.

4 times 4 times 4 times 4 times 5 times
Sts. on Needle:
53 Sts. 57 Sts. 61 Sts. 65 Sts. 68 Sts.

When armhole measures

5½" 6" 6" 6½" 6½"
To Shape Neck: Bind off 5 Sts. at front edge, 2 Sts. every other row
6 times 6 times 6 times 7 times 8 times
then decrease 1 St. every other row

3 times 4 times 5 times 4 times 5 times
Sts. on Needle:
33 Sts. 36 Sts. 39 Sts. 42 Sts. 42 Sts.

When armhole measures same as at Back,
To Shape Shoulder: Bind off
5 Sts. 6 Sts. 6 Sts. 7 Sts. 7 Sts.
at armhole edge every other row
3 times 6 times 3 times 6 times 6 times
then
6 Sts. ——— 7 Sts. ——— ———
3 times ——— 3 times ——— ———

Place markers for 8 Buttons at front edge, having first marker 1 inch from lower edge and 8th marker ¾ inch from neck edge.

RIGHT FRONT: Work to correspond with Left Front (having increases and decreases at opposite sides) and working Buttonholes to correspond with markers as follows: Work 3 Sts., bind off 4 Sts., work to end of row. On next row cast on 4 Sts. over the bound-off Sts.

Buttons: With Size 1 Needles and Color 1 cast on 40 Sts. Work in Stockinette St. for 5 inches, bind off. Cover 8—½ inch Button Molds.

Sew shoulder and underarm seams. Face front edges with grosgrain ribbon, working around Buttonholes. Turn armhole and neck edges under and face with seam binding. Sew seam binding across shoulder seams.

Number 8406 (continued from page 6)

Row 12—With Yarn P. across.
Repeat these 12 rows for Pattern St., being careful when decreasing and increasing each side.

BACK: With Yarn and Size 3 Needles cast on
110 Sts. 110 Sts. 128 Sts. 128 Sts. 146 Sts.

Work in Stockinette St. for 9 rows, K.1 row on wrong side for turn of hem, join Ribbon. Work in Pattern St. even for
2" 2½" 1½" 1½" 1½"

Decrease 1 St. each side, then every
½" 1" ½" 1" ½"
7 times 3 times 8 times 4 times 9 times

more.
Sts. on Needle:
94 Sts. 102 Sts. 110 Sts. 118 Sts. 126 Sts.

When work measures 6 inches from turn of hem, place a marker for waistline. Work even for
6 rows 6 rows 12 rows 12 rows 12 rows

from marker. Increase 1 St. each side, then every 6th row
10 times 10 times 9 times 9 times 8 times

more.
Sts. on Needle:
116 Sts. 124 Sts. 130 Sts. 138 Sts. 144 Sts.

When work measures
14¼" 14¼" 14½" 14½" 15"

from turn of hem (or desired length to underarm),
To Shape Armholes: Bind off 7 Sts. at beginning of each of the next 2 rows, 2 Sts. on next 2 rows, then decrease 1 St. each side every other row
5 times 5 times 5 times 5 times 7 times

Sts. on Needle:
88 Sts. 96 Sts. 102 Sts. 110 Sts. 112 Sts.

When armholes measure
8" 8" 8½" 8½" 9"

(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off

10 Sts. 11 Sts. 12 Sts. 13 Sts. 13 Sts.

at beginning of each of the next 6 rows. Bind off remaining Sts. for back of neck.

LEFT FRONT: With Yarn and Size 3 Needles cast on

65 Sts. 65 Sts. 74 Sts. 74 Sts. 83 Sts.

Work hem same as at Back, join Ribbon. Work in Pattern St. even for 1½ inches. Decrease 1 St. at side edge, then every

½″ 1″ ½″ 1″ ½″

8 times 4 times 8 times 4 times 9 times

more.

Sts. on Needle:

56 Sts. 60 Sts. 65 Sts. 69 Sts. 73 Sts.

When work measures 6 inches from turn of hem, place a marker for waistline. Work even for

6 rows 6 rows 12 rows 12 rows 12 rows

Increase 1 St. at side edge, then every 6th row

9 times 9 times 8 times 8 times 8 times

more.

Sts. on Needle:

66 Sts. 70 Sts. 74 Sts. 78 Sts. 82 Sts.

When Front measures same as Back to underarm,

To Shape Armhole: Bind off

7 Sts. 7 Sts. 7 Sts. 7 Sts. 9 Sts.

at side edge, 2 Sts. every other row 2 times, then decrease 1 St. every other row

6 times 7 times 8 times 8 times 9 times

Sts. on Needle:

49 Sts. 52 Sts. 55 Sts. 59 Sts. 60 Sts.

When armhole measures

5½″ 5½″ 6″ 6″ 6½″

(measured straight),

To Shape Neck: Bind off 8 Sts. at front edge, 2 Sts. every other row 3 times, then decrease 1 St. every other row

5 times 5 times 5 times 6 times 7 times

When armhole measures same as at Back.

To Shape Shoulder: Bind off

10 Sts. 11 Sts. 12 Sts. 13 Sts. 13 Sts.

at armhole edge every other row 3 times.

RIGHT FRONT: Work to correspond with Left Front, having decreases and increases at opposite sides and working first Buttonhole on Row 11 of 3rd Pattern by K.3, bind off 4 Sts., work to end of row. On next row cast on 4 Sts. over the bound-off Sts. Work remaining Buttonholes in this manner, having 2 Patterns between Buttonholes.

SLEEVES: With Ribbon and Size 3 Needles cast on

74 Sts. 74 Sts. 83 Sts. 83 Sts. 83 Sts.

Work in Stockinette St. for 10 rows (for roll-edge), then join Yarn and work in Pattern St. Increase 1 St. each side every

12th row 12th row 16th row 12th row 10th row

7 times 7 times 5 times 7 times 9 times

Sts. on Needle:

88 Sts. 88 Sts. 93 Sts. 97 Sts. 101 Sts.

When Sleeve measures

11″ 11″ 11½″ 12″ 12″

(or desired length for Three-quarter Length Sleeve),

To Shape Cap of Sleeve: Bind off 4 Sts. at beginning of each of the next 2 rows. Decrease 1 St. each side every 3rd row 4 times, then every other row

19 times 19 times 21 times 19 times 23 times

Bind off 2 Sts. at beginning of next

8 rows 8 rows 8 rows 12 rows 8 rows

Bind off remaining Sts.

COLLAR: Starting at neck edge, with Yarn cast on 29 Sts. Join Ribbon and start 3 Patterns across row, then cast on

15 Sts. 15 Sts. 16 Sts. 16 Sts. 16 Sts.

at end of each of the next 4 rows. On Row 7 add 3 Patterns each side of center, being careful to keep Pattern St. even and increase 1 St. each side every other row 10 times.

Sts. on Needle:

109 Sts. 109 Sts. 113 Sts. 113 Sts. 113 Sts.

Work 4 rows even, then decrease 1 St. each side every other row 5 times, ending on wrong side (after 3rd Pattern from start), cut strands and leave Sts. on needle.

ROLL-BORDER: With a Size 3 Spare Needle and Ribbon (on right side of work) pick up and K. 18 Sts. across side edge of Collar (to the Sts. on needle), increase 1 St. in first St., K. across, increase 1 St. in last St., pick up and K.18 Sts. at other side edge of Collar. P.1 row, K.1 row, (Stockinette St.) for 9 rows, bind off.

ROLL-BORDER OF LEFT FRONT: Starting at neck edge, on right side of work, with Ribbon and Size 3 Needle pick up and K. about

117 Sts. 117 Sts. 121 Sts. 121 Sts. 125 Sts.

at front edge to turn of hem. Work 9 rows in Stockinette St., bind off.

ROLL-BORDER OF RIGHT FRONT: Starting at turn of hem, work in same manner.

Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams. Sew Collar to neck edge. Turn up hem and sew. Face front edges with grosgrain ribbon, sew around Buttonholes. Sew narrow grosgrain ribbon to inside of waistline. Tape shoulder seams. Sew Roll-Borders lightly in place.

BUTTONS: With Ribbon and Size 3 Needles cast on 30 Sts. Work in Stockinette St. for about 5 inches. Bind off. Cover ¾ inch Button Molds.

Number 8407 (continued from page 8)

FRONT: Cast on and work increases at each side and decreases at armholes same as for Back, AT THE SAME TIME when work measures 3 inches from start, divide Sts. for V neck. Join another ball of yarn at center and work both sides at the same time, decreasing 1 St. at center edges, then every 6th row

19 times 20 times 20 times 22 times 22 times

more.

When armholes measure same as at Back, bind off Shoulders the same.

PATTERN STITCH FOR SLEEVES AND VESTEE: (Multiple of 4 Sts. plus 3)

With Color 1 cast on Sts.
Row 1—(Color 1) *K.3, yarn in back of work slip 1 (as if to Purl), repeat from * across, ending K.3.
Row 2—(Color 1) *K.3, yarn in front of work slip 1, yarn in back, repeat from * across, ending K.3.
Row 3—(Color 2) K.1, *yarn in back of work slip 1, K.3, repeat from * across, ending slip 1, K.1.
Row 4—(Color 2) K.1, *yarn in front of work slip 1, yarn in back K.3, repeat from * across, ending slip 1, K.1.
Repeat these 4 rows for Pattern St.

SLEEVES: With Color 1 cast on

83 Sts. 83 Sts. 87 Sts. 87 Sts. 91 Sts.

Work in Pattern St. for 1 inch even. Increase 1 St. each side, then every ½ inch 4 times more (being careful to keep Pattern St. even).
Sts. on Needle:

93 Sts. 93 Sts. 97 Sts. 97 Sts. 101 Sts.

Work even until Sleeve measures 5 inches (or desired length).

To Shape Cap of Sleeve: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row until 33 Sts. remain. Bind off 2 Sts. at beginning of next 4 rows, bind off remaining Sts.

VESTEE: With Color 1 cast on 11 Sts. Work in Pattern St., increasing 1 St. each side every 6th row

20 times 21 times 21 times 23 times 23 times

and when work measures

11″ 11″ 11½″ 12″ 12″

at center,

To Shape Neck: Bind off center

19 Sts. 21 Sts. 21 Sts. 23 Sts. 23 Sts.

slip Sts. of one side on St. Holder. Work other side as follows: Bind off 2 Sts. at neck edge every other row 4 times. Work even until neck edge measures 2½ inches (measured straight from bound-off Sts. at center). Cast on

22 Sts. 23 Sts. 23 Sts. 24 Sts. 24 Sts.

at neck edge (for back of neck).
Sts. on Needle:

30 Sts. 31 Sts. 31 Sts. 33 Sts. 33 Sts.

Work even for 4 rows. Bind off 4 Sts. at shoulder edge every other row 5 times. Bind off remaining

10 Sts. 11 Sts. 11 Sts. 13 Sts. 13 Sts.

Work other side to correspond.

COLLAR: With Color 1 cast on

99 Sts. 99 Sts. 99 Sts. 103 Sts. 103 Sts.

Work in Pattern St. for 1½ inches. Bind off.

BELT: With Color 1 cast on 12 Sts. Work in Stockinette St. for desired length. Bind off.

Sew shoulder seams. Sew Sleeves in place. Sew sleeve and underarm seams, leaving 4 inches open at left side for placket. With Color 1 work 2 rows of S.C. around sleeve edges. Sew Collar to neck edge of Vestee. Work 1 row of S.C. around Collar and edges of Vestee. With Color 1 work 1 row of S.C. around neck edge and back opening. Face Collar and Belt with grosgrain ribbon. Turn corners under at one end of Belt to form point, fasten with snap fasteners. Sew Vestee to neck edge, fasten with snap fasteners. Sew Blouse to Skirt. Work 1 row of S.C. around placket opening. Sew slide fastener in placket and in back opening. Crochet casing for elastic (see page 31) inside of waistline.

JACKET—BACK: With Color 1 and Straight Needles cast on

102 Sts. 110 Sts. 116 Sts. 124 Sts. 130 Sts.

Work in Stockinette St. for 10 rows. P.1 row on right side for turn of hem. Continue in Stockinette St., increasing 1 St. each side every inch 6 times.
Sts. on Needle:

114 Sts. 122 Sts. 128 Sts. 136 Sts. 142 Sts.

When work measures 9 inches from P. row of hem (or desired length to underarm),

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

5 times 5 times 8 times 8 times 9 times

Sts. on Needle:

92 Sts. 100 Sts. 100 Sts. 108 Sts. 112 Sts.

When armholes measure

7½″ 7½″ 8″ 8″ 8½″

(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off

10 Sts. 11 Sts. 11 Sts. 12 Sts. 12 Sts.

at beginning of each of the next 6 rows. Bind off remaining Sts. for back of neck.

LEFT FRONT: Cast on

40 Sts. 44 Sts. 48 Sts. 52 Sts. 56 Sts.

Work in Stockinette St. for 10 rows. P.1 row on right side for turn of hem and cast on 44 Sts. at front edge.
Sts. on Needle:

84 Sts. 88 Sts. 92 Sts. 96 Sts. 100 Sts.

Work as follows:
Row 1—P. across.

Row 2—K. across to last 23 Sts. on needle, with yarn in back slip 1, K.22 (Facing).
Repeat Rows 1 and 2, increasing 1 St. at side edge every inch 6 times.
Sts. on Needle:

90 Sts.	94 Sts.	98 Sts.	102 Sts.	106 Sts.

When Front measures same as Back to underarm, shape Armhole and Facing at the same time as follows:
To Shape Armhole: Bind off

6 Sts.	6 Sts.	7 Sts.	7 Sts.	8 Sts.

at side edge, then decrease 1 St. every other row

5 times	6 times	7 times	8 times	9 times

To Shape Facing: (Starting same row as armhole) increase 1 St. at front edge, then every ¾ inch

8 times	8 times	8 times	6 times	7 times

more, every ½ inch

———	———	1 time	4 times	3 times

Sts. on Needle:

88 Sts.	91 Sts.	94 Sts.	98 Sts.	100 Sts.

When armhole measures

1″	1″	1¼″	1¼″	1¼″

less than at Back, ending on right side of work,
To Shape Neck and Facing: P. across

15 Sts.	15 Sts.	16 Sts.	17 Sts.	17 Sts.

slip these Sts. on St. Holder for Facing, bind off next 33 Sts. (the slipped St. is at center), then

P.40	P.43	P.45	P.48	P.50

to end of row. Bind off 2 Sts. at neck edge every other row

5 times	5 times	6 times	6 times	7 times

When armhole measures same as at Back,
To Shape Shoulder: Bind off

10 Sts.	11 Sts.	11 Sts.	12 Sts.	12 Sts.

at armhole edge every other row 3 times.

Slip Sts. from St. Holder onto needle and decrease neck edge of Facing same as neck edge of Front. Work same length to Shoulder, bind off.

RIGHT FRONT: Work to correspond with Left Front, having increases and decreases at opposite sides and working Facing as follows:
Row 1—K.22, slip 1, K. to end of row.
Row 2—P. across row.

SLEEVES: Cast on

80 Sts.	80 Sts.	84 Sts.	84 Sts.	88 Sts.

Work 2 inches even. Increase 1 St. each side, then every 1½ inches 6 times more.
Sts. on Needle:

94 Sts.	94 Sts.	98 Sts.	98 Sts.	102 Sts.

Work even until Sleeve measures 13 inches from start (or desired length).

To Shape Cap of Sleeve: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row until 34 Sts. remain. Bind off 2 Sts. at beginning of next 4 rows. Bind off remaining Sts.

CUFFS: (Make 2) Cast on

80 Sts.	80 Sts.	84 Sts.	84 Sts.	88 Sts.

Increase 1 St. each side every 4th row until work measures 2½ inches (at center). P. 1 row on right side for turn of Cuff, then decrease 1 St. each side every 4th row until

80 Sts.	80 Sts.	84 Sts.	84 Sts.	88 Sts.

remain, bind off.

COLLAR: Cast on

78 Sts.	80 Sts.	80 Sts.	84 Sts.	88 Sts.

Work in Stockinette St., casting on 2 Sts. at end of each of the next 10 rows.
Sts. on Needle:

98 Sts.	100 Sts.	100 Sts.	104 Sts.	108 Sts.

Increase 1 St. each side every 4th row for 2¼ inches. P. 1 row on right side for turn of Collar. Decrease to correspond with increases, bind off remaining

78 Sts.	80 Sts.	80 Sts.	84 Sts.	88 Sts.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams. Fold Facings and sew neck edge on wrong side, then turn right side out and sew Facings to inside of Fronts. Turn up hem at lower edge and sew. Fold Collar, sew seam at each side, then sew to neck edge, about 2 inches from front edges. Fold Cuffs and sew seam at each side, then join to sleeve edges with 1 row of S.C. Sew seam binding across back of neck and across shoulder seams.

Number 8408 (continued from page 10)

Repeat Rows 50 and 51 three times more.
Row 58—Same as Row 50, decreasing 50 Sts. across Gold Stripe, by P.2 together about every 8th and 9th St. (442 Sts. on needle). Repeat these 58 rows 1½ times more, 145 rows from start (5 Gold Stripes), decreasing 50 Sts. evenly on 9th row of each Gold Stripe (292 Sts. on needle).
Next row start Collar by increasing 1 St. each side every 4th row 20 times (32 Sts. in Collar—including Front Border), AND AT THE SAME TIME *decrease 1 St. inside of Front Borders every other row 2 times, then every 4th row 1 time (decreasing 3 Sts. each side in 8 rows), repeat from * 9 times more, continuing Pattern Stripe (decreasing 50 Sts. in 6th Gold Stripe and 40 Sts. in 7th Gold Stripe).
Slip 32 Sts. of Collar each side on St. Holder (118 Sts. remaining on needle), and at the same time bind off 3 Sts. at beginning of each of the next 8 rows, then 6 Sts. at beginning of next 4 rows. Bind off remaining Sts.

COLLAR: Slip 32 Sts. from St. Holder onto Straight Needle, join Yarn at neck edge.
*Row 1—K.6, turn, K.6 (short row).
K.32 Sts. for 16 rows.
Repeat from * 2 times more, then repeat Row 1.

(continued on page 26)

Number 8408 (continued from page 25)

K.32 Sts. for 8 rows, then slip Sts. on St. Holder.
Work other side of Collar the same, then weave Sts. together or sew seam at center back.
Sew Collar to neck edge.

EDGING: Join Yarn on right side of work. *Ch.3, skip 2 Sts., 1 S.C. in next St., repeat from * around edge of Cape and Collar.

Fasten with 1 loop and Button at start of Collar.

Number 8409 (continued from page 10)

To Shape Neck and Armholes: Work across

37 Sts.	39 Sts.	41 Sts.

slip these Sts. on St. Holder, bind off 2 center Sts., work to end of row, then work left side of Back as follows: At neck edge decrease 1 St. every row

28 times	30 times	32 times

and at the same time at armhole edge increase 1 St. every row 6 times, then every other row 6 times.

When armhole measures

6″	6″	6½″

(measured straight from bound-off Sts. at underarm), continuing decreases at neck edge,
To Shape Shoulder: Bind off 3 Sts. at armhole edge every other row 7 times (all Sts. will be bound-off).
Work right side of Back to correspond.

Work Front same as Back.

Sew shoulder seams. Sew underarm seams.

EDGING: Work 2 rows of Slip St. on right side of work, around armholes and neck opening.

Number 8410 (continued from page 12)

at beginning of next

4 rows	———	———	4 rows	4 rows

Slip remaining

30 Sts.	32 Sts.	32 Sts.	34 Sts.	34 Sts.

on St. Holder for back of neck.

FRONT: Work same as Back until armholes measure

5″	5″	5½″	5½″	5½″

Sts. on Needle:

90 Sts.	96 Sts.	104 Sts.	110 Sts.	118 Sts.

To Shape Neck: Work across

35 Sts.	37 Sts.	41 Sts.	43 Sts.	47 Sts.

slip remaining Sts. on St. Holder. Working Left Shoulder only, decrease 1 St. at neck edge every other row 5 times.

When armhole measures same as at Back,
To Shape Shoulder: Bind off

8 Sts.	8 Sts.	9 Sts.	9 Sts.	10 Sts.

at armhole edge every other row

2 times	4 times	4 times	2 times	2 times

then

7 Sts.	———	———	10 Sts.	11 Sts.
2 times	———	———	2 times	2 times

Leaving

20 Sts.	22 Sts.	22 Sts.	24 Sts.	24 Sts.

at center on St. Holder, work Right Shoulder to correspond.

Sew shoulder and underarm seams.

NECKBAND: Fasten yarn at left shoulder seam. On right side of work, with Double Point Needles pick up and K.

26 Sts.	26 Sts.	26 Sts.	26 Sts.	30 Sts.

at left neck edge, K. across Sts. of Front on St. Holder, pick up and K.

26 Sts.	26 Sts.	26 Sts.	26 Sts.	30 Sts.

at right neck edge, K. across Sts. on St. Holder at back of neck. Sts. on Needle:

102 Sts.	106 Sts.	106 Sts.	110 Sts.	118 Sts.

Work around in Ribbing of K.1, P.1, for 2 inches, bind off loosely in Ribbing.

Work 2 rows of S.C. around armhole edges. Turn armhole edges under for ½ inch and sew.

Number 8411 (continued from page 12)

at beginning of each of the next 8 rows. Bind off remaining Sts. for back of neck.

LEFT FRONT: With Size 0 Needles cast on

57 Sts.	61 Sts.	65 Sts.	69 Sts.	73 Sts.

Row 1—K.1, P.1, (Ribbing) for

48 Sts.	52 Sts.	56 Sts.	60 Sts.	64 Sts.

K.9 (Front Border).
Row 2—P.9, K.1, P.1, (Ribbing) to end of row.
Repeat these 2 rows for 3 inches, ending with Row 2.
Change to Size 3 Needles and work as follows:
Row 1—K. across to last 10 Sts., P.1, K.9 (Front Border).
Row 2—P.9, K.1, P. to end of row.
Repeat these 2 rows and increase 1 St. at side edge every ¾ inch 8 times.
Sts. on Needle:

65 Sts.	69 Sts.	73 Sts.	77 Sts.	81 Sts.

When Front measures same as Back to underarm,
To Shape Armhole: Bind off

7 Sts.	7 Sts.	8 Sts.	8 Sts.	8 Sts.

at side edge, then decrease 1 St. every other row

7 times	7 times	9 times	9 times	9 times

Sts. on Needle:

51 Sts.	55 Sts.	56 Sts.	60 Sts.	64 Sts.

When armhole measures

5¼"	5¼"	5½"	6"	6"

To Shape Neck: Bind off

15 Sts.	15 Sts.	16 Sts.	16 Sts.	16 Sts.

at front edge, then 2 Sts. every other row 4 times.
Sts. on Needle:

28 Sts.	32 Sts.	32 Sts.	36 Sts.	40 Sts.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

7 Sts.	8 Sts.	8 Sts.	9 Sts.	10 Sts.

at armhole edge every other row 4 times.

Place markers for 8 Buttons on Front Border, having first marker 1 inch from start, last marker ¼ inch from neck edge.

RIGHT FRONT: Work to correspond with Left Front as follows:
Row 1—K.9, P.1, K.1, (Ribbing) to end of row.
Row 2—P.1, K.1, (Ribbing) to last 9 Sts., P.9.
Repeat these 2 rows for 1 inch, then work first Buttonhole by K.3, bind off 3 Sts., work to end of row. On next row cast on 3 Sts. over the bound-off Sts.
When Ribbing measures 3 inches from start, change to Size 3 Needles and work as follows:
Row 1—K.9, P.1, K. to end of row.
Row 2—P. to last 10 Sts., K.1, P.9.
Repeat these 2 rows, increasing at side edge as on Left Front and working Buttonholes to correspond with markers.

SLEEVES: With Size 0 Needles cast on

84 Sts.	84 Sts.	88 Sts.	92 Sts.	92 Sts.

Work in Ribbing of K.1, P.1, for 1 inch. Change to Size 3 Needles and Stockinette St., increasing 1 St. each side every 4th row 3 times.
Sts. on Needle:

90 Sts.	90 Sts.	94 Sts.	98 Sts.	98 Sts.

When Sleeve measures 4 inches from start (or desired length),

To Shape Cap of Sleeve: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row until 32 Sts. remain. Bind off 2 Sts. at beginning of next 6 rows. Bind off remaining Sts.

COLLAR: With Size 0 Needles cast on

129 Sts.	129 Sts.	131 Sts.	131 Sts.	133 Sts.

Work in Ribbing of K.1, P.1, for 3 inches. Bind off loosely in Ribbing.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams. Work 1 row of S.C. at front edges. Sew Collar to neck edge ½ inch from front edges. Sew seam binding across Shoulders and back of neck. Face front edges with grosgrain ribbon. Sew around Buttonholes.

Number 8412 (continued from page 14)

To Shape Neck: Work across

37 Sts.	41 Sts.	45 Sts.	49 Sts.

slip these Sts. on St. Holder, bind off next 26 Sts. and on remaining Sts. work Right Shoulder. Decrease 1 St. at neck edge every other row

4 times	5 times	6 times	7 times

When armhole measures same as at Back, shape Shoulder the same. Work Left Shoulder to correspond.

SLEEVES: Cast on

80 Sts.	80 Sts.	88 Sts.	88 Sts.

Start Pattern St. same as on

Size 14	Size 14	Size 16	Size 16

at Back.
Work even for

2"	2"	2"	1"

Increase 1 St. each side, then every inch

9 times	9 times	9 times	11 times

more.
Sts. on Needle:

100 Sts.	100 Sts.	108 Sts.	112 Sts.

When Sleeve measures 13 inches (or desired length, matching Pattern of Front at underarm),
To Shape Cap of Sleeve: Bind off 8 Sts. at beginning of each of the next 2 rows. Decrease 1 St. each side every other row until 32 Sts. remain. Bind off 2 Sts. at beginning of each of the next 4 rows. Bind off remaining Sts.

COLLAR: Cast on

112 Sts.	112 Sts.	116 Sts.	120 Sts.

Work in Stockinette St. for 2 inches, bind off.

CUFFS: (Make 2) Cast on

80 Sts.	80 Sts.	88 Sts.	88 Sts.

Work in Stockinette St. for 2 inches, bind off.

BELT: Cast on 10 Sts. Work in Stockinette St. for desired length, bind off.

Sew shoulder seams. Sew Sleeves in place. Sew sleeve and underarm seams, leaving 5 inches open at left side for placket. Sew Collar to neck edge. Roll on right side and sew in place. Finish Cuffs in same manner. Work 1 row of S.C. at back opening. Sew slide fastener in back opening. Sew Blouse to Skirt. Work 1 row of S.C. at placket opening. Sew slide fastener in placket. Face Belt with grosgrain ribbon. Turn corners under at one end to form point. Fasten with snap fasteners.

Lees

Number 8413

The Middy Dress

Sizes 12, 14, 16 and 18 (as shown on page 16)

Original made of Minerva Fingering Yarn—Color 1: Light Navy
Color 2: Cherry
Color 3: White

MATERIALS REQUIRED:

Minerva Fingering Yarn (1 ounce ball)

	Size 12	Size 14	Size 16	Size 18
Skirt:				
Color 1	10 Balls	11 Balls	13 Balls	15 Balls
Blouse:				
Color 1	8 Balls	9 Balls	10 Balls	11 Balls
Color 2	1 Ball	1 Ball	1 Ball	1 Ball
Color 3	1 Ball	1 Ball	1 Ball	1 Ball

—OR—

Minerva Sports Yarn (2 ounce ball)

	Size 12	Size 14	Size 16	Size 18
Skirt:				
Color 1	6 Balls	7 Balls	8 Balls	9 Balls
Blouse:				
Color 1	5 Balls	5 Balls	6 Balls	7 Balls
Color 2	1 Ball	1 Ball	1 Ball	1 Ball
Color 3	1 Ball	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 "Boye" Circular Needle Size 3—29 inch
1 Pair "Boye" Size 3—14 inch

Gauge: 8 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 4

SIZES: 12 14 16 18

SKIRT: With Color 1 and Circular Needle cast on
490 Sts. 500 Sts. 510 Sts. 520 Sts.

Join, being careful not to twist Sts. K. around for
3″ 3″ 4″ 5″

(for 30 inch Skirt—for shorter or longer Skirt make adjustments).
Next row decrease 10 Sts. by *K.2 together,
K.47 K.48 K.49 K.50

repeat from * around.
Decrease 10 Sts. every inch (having 1 St. less between decreases every decreasing row)
20 times 20 times 19 times 18 times

more.
Sts. on Needle: (Hipline—23 inches from start)
280 Sts. 290 Sts. 310 Sts. 330 Sts.

Work even for
1″ 2″ 1″ 1″

decrease 10 Sts., then every 1 inch
4 times 2 times 3 times 3 times

more, then every ½ inch
2 times 3 times 3 times 4 times

Sts. on Needle:
210 Sts. 230 Sts. 240 Sts. 250 Sts.

Work ½ inch, decrease
——— 8 Sts. 6 Sts. ———

When Skirt measures 30 inches (or desired length), bind off loosely.

Work 2 rows of S.C. around top edge, then work casing for elastic (see page 31). Work 2 rows of S.C. around lower edge of Skirt.

BLOUSE:

PATTERN STITCH: (Multiple of 3 Sts.)
With Color 1 cast on Sts.
Row 1—K.3, tie on Color 2 and Y.O. needle 2 times, *with Color 1 K.3, with Color 2 Y.O. needle 2 times, repeat from * across, ending Color 1 K.3, cut Color 2 strand and tie.
Row 2—Color 1 P.3, *slip single Y.O. on right hand needle as if to P. (dropping 1 Y.O.), Color 1 P.3, repeat from * across.
Row 3—Color 1 K.3, *slip loop on right hand needle as if to K., Color 1 K.3, repeat from * across.
Row 4—Color 1 P.3, *slip loop as if to P., Color 1 P.3, repeat from * across.
Row 5—Color 1 K.3, tie on *Color 3, Y.O. needle 2 times, with Color 1 K. next St. through Color 2 loop, then slip loop off needle, with Color 1 K. next 2 Sts., repeat from * across row, cut Color 3 strand and tie.
Row 6—Same as Row 2.
Row 7—Same as Row 3.
Row 8—Same as Row 4.
Row 9—Tie on Color 2 and work in same manner as Row 5.
Repeat Pattern from Row 2.

BACK: With Color 1 and Straight Needles cast on
129 Sts. 135 Sts. 144 Sts. 153 Sts.

Work in Stockinette St. for 11 rows, then K.1 row on wrong side for turn of hem. Work in Pattern St. for 1 inch, then cast on 8 Sts. at end of each of the next 2 rows for Facing. Work these Sts. with Color 1 in Stockinette St. (continuing Pattern St. on remaining Sts.) for 2 inches even.
Decrease 1 St. at beginning of each of the next 16 rows (working off the Sts. of Facing), then continue in Pattern St. until work measures
14″ 14½″ 15″ 15″

from turn of hem (or desired length to underarm).

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then 2 Sts. on next 4 rows, then decrease 1 St. each side every other row
5 times 5 times 6 times 7 times

(being careful to keep Pattern St. even).

Sts. on Needle:
99 Sts. 105 Sts. 112 Sts. 119 Sts.

Another Famous Product — Lees Carpets

When armhole measures 4 inches (measured straight from bound-off Sts. at underarm), ending with Row 8 of Pattern, work next row with Color 1 (K. through loop and slip loop off as in Row 5), then with Color 1 work Yoke in Stockinette St. until armholes measure

7½" 7¾" 7¾" 8"

To Shape Shoulders: Bind off

11 Sts. 12 Sts. 13 Sts. 14 Sts.

at beginning of each of the next 6 rows. On remaining

33 Sts. 33 Sts. 34 Sts. 35 Sts.

K.1 row on wrong side for turn of Facing, then continue in Stockinette St. for 14 rows, increasing 1 St. each side every other row 7 times. Bind off loosely.

FRONT: Work same as Back to underarm. Divide Sts. for front opening as follows: Bind off 6 Sts. (for armhole),

K.58 K.61 K.66 K.70

slip remaining

65 Sts. 68 Sts. 72 Sts. 77 Sts.

on St. Holder. Cast on 13 Sts. at center front for Facing. Work these 13 Sts. with Color 1 in Stockinette St., P. the 13th St. from front edge on K. rows for turn of Facing. Shape Armhole to correspond with Back and increase 1 St. at front edge every 1½ inches

4 times 4 times 4 times 5 times

(discontinuing Pattern St. on same row as at Back).
Sts. on Needle:

66 Sts. 69 Sts. 73 Sts. 77 Sts.

When armhole measures same as at Back,
To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts. 14 Sts.

at armhole edge, work to end of row. Bind off

33 Sts. 33 Sts. 34 Sts. 35 Sts.

at front edge, work to end of row. Bind off

11 Sts. 12 Sts. 13 Sts. 14 Sts.

at shoulder edge every other row 2 times more.

Slip Sts. from St. Holder onto Needle, cast on

12 Sts. 12 Sts. 13 Sts. 12 Sts.

at center front for Facing, then work Right Front to correspond with Left Front.

SLEEVES: With Color 1 cast on

96 Sts. 99 Sts. 99 Sts. 105 Sts.

Work in Pattern St. for 4½ inches, ending on same row of Pattern as at underarm of Back and Front.

To Shape Cap of Sleeve: Bind off 2 Sts. at beginning of next 6 rows, decrease 1 St. each side every other row 8 times, every 3rd row 5 times, every other row

7 times 8 times 8 times 10 times

at the same time discontinuing Pattern St. to correspond with armhole.

Sts. on Needle:

44 Sts. 45 Sts. 45 Sts. 47 Sts.

Bind off 2 Sts. at beginning of 4 rows, then 3 Sts. at beginning of 4 rows. Bind off remaining Sts.

CUFFS: (Make 2) With Color 1 cast on

96 Sts. 99 Sts. 99 Sts. 105 Sts.

Work in Stockinette St. for 1 inch. Increase 10 Sts. by increasing 1 St. in every

9th St. 9th St. 9th St. 10th St.

across row. Work even until work measures 3 inches from start. P.1 row on right side for turn of Cuff, then continue in Stockinette St. until work measures 2 inches from P. row. Decrease 10 Sts. across row. Work 1 inch, then bind off.

Sew shoulder seams. Sew Sleeves in place. Sew sleeve and underarm seams, leaving 4½ inches open each side at lower edge. Turn up hem and sew. Sew Facings in place on wrong side. Fold Cuffs, close each side with 1 row of S.C. Sew Cuffs to edge of Sleeves, having opening opposite seam. Turn Cuffs back and sew lightly in place. Sew across Facings at neck edge to close. Tape shoulder seams.

Number 8414

The "Year Round" Dress

Sizes 12, 14, 16 and 18 (as shown on page 17)

Original made of Minerva Monterey—Color: Royal Blue

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16	Size 18
20 Skeins	21 Skeins	24 Skeins	26 Skeins

Knitting Needles: 1 Pair "Boye" Size 3—14 inch
1 "Boye" Circular Needle Size 3—29 inch

Gauge: 7 Sts. to 1 inch

1 "Boye" Steel Crochet Hook Size 2

SIZES: 12 14 16 18

SKIRT: With Circular Needle cast on

390 Sts. 400 Sts. 400 Sts. 410 Sts.

(continued on page 30)

Number 8414 (continued from page 29)

Join, being careful not to twist Sts. K. around for 10 rows, then P.1 row for turn of hem. K. around for 3 inches (for 30 inch Skirt—for shorter or longer Skirt make adjustments here). Decrease 10 Sts. on next row as follows:

*K.37 *K.38 *K.38 *K.39

K.2 together, repeat from * around.
K. around for 1½ inches, then decrease on next row as follows:

*K.36 *K.37 *K.37 *K.38

K.2 together, repeat from * around.
Sts. on Needle:

370 Sts. 380 Sts. 380 Sts. 390 Sts.

Continue to decrease 10 Sts. in this manner (having 1 St. less between decreases every decreasing row) every 1½ inches

9 times 9 times 5 times 1 time

more, then every 2 inches

3 times 3 times 6 times 9 times

Sts. on Needle: (24 inches from turn of hem)

250 Sts. 260 Sts. 270 Sts. 290 Sts.

Divide Sts. (between 2 decreases) and work back and forth in Stockinette St. for placket opening, decreasing 10 Sts. as before every ¾ inch

7 times 7 times 7 times 8 times

When Skirt measures 30 inches (or desired length) from turn of hem, decrease

5 Sts. 4 Sts. 4 Sts. ———

Sts. on Needle:

175 Sts. 186 Sts. 196 Sts. 210 Sts.

Bind off.

Turn up hem and sew. Work 3 rows of S.C. across top edge. Crochet casing for elastic at inside of waistline (casing see page 31).

BLOUSE—BACK: With Straight Needles cast on

94 Sts. 100 Sts. 106 Sts. 114 Sts.

Work even in Stockinette St. for 1 inch, increase 1 St. each side, then every ¾ inch

8 times 9 times 9 times 9 times

more.
Sts. on Needle:

112 Sts. 120 Sts. 126 Sts. 134 Sts.

When work measures

7½" 8" 8½" 8½"

from start (or desired length to underarm),

To Shape Sleeves: Cast on 8 Sts. at end of each of the next 6 rows.
Sts. on Needle:

160 Sts. 168 Sts. 174 Sts. 182 Sts.

Work even for

1" 1" 1" 1½"

Divide Sts. in half for back opening. Join another ball of yarn and work both sides at the same time, increasing 1 St. each side (at sleeve edge), then every inch 4 times more.

When sleeve edge measures

6" 6" 6½" 6½"

To Shape Sleeves and Shoulders: Bind off 7 Sts. at each sleeve edge every other row

7 times 10 times 9 times 8 times

then

6 Sts. ——— 9 Sts. 10 Sts.

3 times ——— 1 time 2 times

Bind off remaining Sts. for back of neck.

FRONT: Work same as Back, omitting back opening, until sleeve edges measure 4 inches.
To Shape Neck: Bind off 2 Sts. at center. Join another ball of yarn and work both sides at the same time, working even at center for 1½ inches. Bind off 2 Sts. at neck edge every other row 3 times,

9 Sts. 10 Sts. 11 Sts. 11 Sts.

once, then decrease 1 St. every other row 2 times, at the same time, when sleeve edges measure same as at Back, bind off for Sleeves and Shoulders the same.

BELT: Cast on 8 Sts. Work even in Stockinette St. for

28" 29" 31" 33"

bind off. Face Belt with grosgrain ribbon, turning back corners at one end to form point. Fasten Belt with snap fasteners.

Sew shoulder and sleeve seams. Sew sleeve and underarm seams, leaving 4 inches open at left side for placket. Work 2 rows of S.C. around neck and sleeve edges. Sew Blouse to Skirt. Work 1 row of S.C. around back and placket openings. Sew slide fastener in placket and in back opening. Sew Sequin Motif to Right Front of Blouse. Sew tape across back of neck, shoulder and sleeve seams.

NOTE

For further information concerning your HAND LOOMED SKIRT Number 1, 2, 3 or 4, see your MINERVA Art Needlework Dealer.

Another Famous Product — Lees Carpets

GENERAL INSTRUCTIONS

ABBREVIATIONS USED IN KNITTING AND CROCHETING INSTRUCTIONS

K.—Knit
P.—Purl
Ch.—Chain
S.C.—Single Crochet
D.C.—Double Crochet
St.—Stitch
Y.O.—Yarn Over
Slip St.—Slip Stitch
P.S.S.O.—Pass Slip Stitch over Knit Stitch
H.D.C.—Half Double Crochet
Tr.C.—Treble Crochet

ASTERISKS (*-**): Star symbols indicate that work between them is to be repeated. When instructions call for repeating a given number of times, it is understood that this is in addition to the original. Thus, repeat 5 times more means 6 times in all.

GARTER STITCH: (Plain Knitting) K. every row.

RIB: 2 rows of Garter Stitch.

STOCKINETTE STITCH: K.1 row, P.1 row alternately. On Circular or Sock Needles knit continuously.

MOSS STITCH: K.1 St., P.1 St., on uneven number of Sts. On even number of Sts., K.1 St., P.1 St., across row; next row, P.1 St., K.1 St., across row.

TO INCREASE: K.2 Sts. in 1 St. (Knitting 1 St. in the front and 1 St. in the back of same St.).

TO DECREASE: K.2 Sts. together.

TO WORK EVEN: Work without increasing or decreasing.

BUTTONHOLES: Bind off the given number of stitches, this same number of stitches to be cast on on the next row directly over the bound-off stitches. Work around buttonholes in Buttonhole Stitch.

For Crocheted Buttonholes—Chain the desired number of stitches, skip the same number of stitches on previous row and on next row work over the chain stitches.

FINISHING A NEW GARMENT

BLOCKING: Using rust-proof pins, pin each piece, wrong side out, on a pressing board in exactly the line you wish to retain. Use a damp cloth and moderately hot iron or a dry cloth and steam iron, press lightly, allowing the steam to go through the garment. Lay it on a flat surface until thoroughly dry.

JOINING: Sew pieces together, being careful that the edges meet evenly. Be careful to match rows wherever possible.

BEADING: Fasten yarn, chain 5, * skip 2 stitches, 1 double crochet in next stitch, chain 2, repeat from * around edge of garment.

CASING FOR ELASTIC (inside at waistline): Fasten yarn * chain 5, skip 2 stitches, 1 slip stitch in stitch ½ inch below next stitch, chain 5, skip 2 stitches, 1 slip stitch in next stitch ½ inch above, repeat from *.

WASHING: Make suds in lukewarm water using mild alkali free soap flakes. Squeeze suds through fabric. Do not rub. Handle gently, do not lift out of water, as the weight of the wet garment will stretch it. Keep garment supported by the hands when squeezing out water. Rinse thoroughly three times in lukewarm water. Squeeze out as much water as possible, do not twist or wring, and roll in dry turkish towels to absorb excess moisture. Shape garment according to measurements and lay it on a turkish towel on a flat surface until thoroughly dry. Ribbing should be eased in so that it will fit as snugly as when new. Never dry in sun or excessive heat.

GENERAL INSTRUCTIONS for NYLON RIBBON

Before you start to knit or crochet with Nylon Ribbon, be sure to check your gauge or scale of the number of stitches to the inch called for in the Instruction by making a small swatch and comparing your gauge to that called for in the Instruction. Always measure your gauge after steam pressing the swatch. If you have more stitches to the inch than the gauge calls for, use a larger needle or hook and if you have less stitches than the gauge calls for, use a smaller needle or hook.

To keep Sts. completely flat while working, do not pull or stretch work and always cast on and bind off Sts. loosely.

Stockinette Stitch—Cast on loosely the desired number of stitches. On purl rows—insert needle through front of stitch on left-hand needle from right to left, then throw Ribbon over the point of right-hand needle, draw loop through stitch and slip stitch off needle. On knit rows—insert right-hand needle through back of stitch on left-hand needle and throw Ribbon over the point of right-hand needle from right to left, draw loop through stitch and slip off needle. Repeat these two rows, being sure to keep Ribbon flat.

Woven Stitch:
Cast on Sts. loosely.

K. Row—Insert right-hand needle in back of St., throw Ribbon under and over the needle with inside of Ribbon (inside of previous St.) facing needle, draw loop through loosely, being careful to keep Ribbon flat, then with left-hand needle in front slip the St. off the needle, keeping Ribbon flat and loose.

P. Row—Insert right-hand needle in front of St., throw Ribbon under and over the needle with inside of Ribbon (inside of previous St.) facing the needle, draw loop through loosely, keeping Ribbon flat, then with left-hand needle in front slip St. off the needle, keeping Ribbon flat and loose.

Crocheting: When crocheting with Ribbon, follow gauge, same as when knitting, using crochet hook called for in the Instruction.

Blocking: Block all pieces before assembling. Steam press each piece on the wrong side, using a damp smooth surface pressing cloth and a warm iron, or a dry smooth surface pressing cloth and a steam iron. Assemble pieces as if they were fabric. Baste all seams, then sew with machine or by hand. Press all seams on wrong side.

We recommend dry cleaning of Nylon Ribbon garments, or washing with mild soap flakes. See above for Washing Instructions for hand-knits.

THIS IS IMPORTANT

DYE LOTS: Be sure to buy sufficient yarn at one time to complete your garment, making certain that each ball or skein has an identical set of dye lot letters, this is printed on the Band around the yarn, and is beside the color number.

GAUGE: Each Minerva Instruction gives a Gauge or Scale of the number of stitches to the inch when using the yarn and needles called for. If you work tighter than the average, change to larger needles; if you work looser, change to smaller needles, to acquire the same number of stitches to the inch called for in the instructions.

For complete satisfaction in the making of your hand-knitted garments illustrated in this book, we recommend Minerva Yarns in the types specified. Also be sure to follow detailed instructions for size of needles and gauge.

Minerva Nylon Sweater and Sock Yarn is recommended for Sweaters, Socks, Infants Wear and Accessories. We do not recommend it for Dresses and Skirts.

If you are unable to obtain Minerva Yarns or Minerva Nylon Ribbon in your local Art Needlework Department or Yarn Shop, write to James Lees and Sons Company, Bridgeport, Pennsylvania and we will send you the name of the Minerva Dealer nearest you.

STANDARD BODY MEASUREMENTS

Sizes	12 —14	—16 —18 —20
Bust	30″—32″	—34″—36″—38″
Waist	25″—26½″	—28″—30″—32″
Hips	33″—35″	—37″—39″—41″

APPROXIMATE YARDAGE OF MINERVA YARNS

MONTEREY (1 ounce skein—about 130 yards to a skein)
100% Virgin Wool

VELVEEN (1 ounce ball—about 155 yards to a ball)
71% Virgin Wool
29% Rayon

FINGERING YARN—Shrink Resistant (1 ounce ball—about 210 yards to a ball)
100% Virgin Wool

SPORTS YARN (2 ounce ball—about 373 yards to a ball)
100% Virgin Wool

HEATHER SPORTS YARN (2 ounce ball—about 373 yards to a ball)
100% Virgin Wool

BABY YARN—Shrink Resistant (1 ounce ball—about 198 yards to a ball)
100% Virgin Wool

POMPADOUR LIGHTWEIGHT (1 ounce ball—about 210 yards to a ball)
76% Virgin Wool
24% Rayon

POMPADOUR (1 ounce ball—about 128 yards to a ball)
65% Virgin Wool
35% Rayon

FEATHERWEIGHT KNITTING WORSTED (2 ounce skein—233 yards to a skein)
100% Virgin Wool

SOCK AND SWEATER YARN (2 ounce ball—about 245 yards to a ball)
100% Virgin Wool

AFGHAN GERMANTOWN (2 ounce skein—about 210 yards to a skein)
100% Virgin Wool

KNITTING WORSTED (4 ounce skein—about 280 yards to a skein)
100% Virgin Wool (1 ounce ball—about 70 yards to a ball)

OMBRE KNITTING WORSTED (2 ounce skein—about 140 yards to a skein)
100% Virgin Wool

TAPESTRY YARN (about 40 yards to a skein)
100% Imported Virgin Wool

SPARKLETONE RUG YARN (2 ounce skein—about 122 yards to a skein)
50% Virgin Wool
50% Rayon

HEARTHSTONE RUG YARN (1 ounce skein—about 19 yards to a skein)
100% Virgin Wool

3-WAY NYLON SOCK PACKAGE (about 3 ounces—sufficient yarn to make one pair of Socks—
100% Nylon ARGYLE, PLAID OR BLOCK)

NYLON SWEATER AND SOCK YARN (1 ounce ball—about 210 yards to a ball)
100% Nylon

NYLON BABY YARN (1 ounce ball—about 210 yards to a ball)
100% Nylon

NYLON RIBBON (about 100 yards to a spool)
100% Nylon

FILIGREE (1 ounce ball—about 137 yards to a ball)
100% Orlon

CHAMPAGNE AND CRYSTAL FILIGREE (1 ounce ball—about 131 yards to a ball)
75% Orlon
25% Non-Tarnishing Metallic Thread

CASUAL (1 ounce skein—about 150 yards to a skein)
75% Virgin Wool
25% Nylon

NUGGET (1 ounce ball—about 125 yards to a ball)
56% Virgin Wool
24% Rayon
20% Non-Tarnishing Metallic Thread

As seen on

Lees Television Program

"MEET THE MASTERS"



FROM TRADITIONAL

TO MODERN

IN *Lees Lady Handicraft*

Needlepoint

Lees Lady Handicraft blends with modern or traditional home fashions. All this is brought to you in a rare collection of Petitpoint, Grospoint and Tramé Needlepoint direct from the Old World Isle of Madeira. Every design is completely finished in lovely colors, ready for you to fill in the rich background with Lees matched dye, 100% virgin wool, moth resistant Tapestry Yarns. Ask to see our complete, exciting assortments of Lees Lady Handicraft Madeira Needlepoint—and all the fine Lees Tapestry Yarns that go with them.

See complete instructions on the Lees Label attached to every canvas.

TOP: Cabbage Rose No. 1859 and Magnolia No. 1858.

LEFT: Pansies No. 2044, Daisies No. 2043 and Poppies No. 2045.

The Mesh Blouse No. 8401—as shown on back cover. Instructions on page 19.

The Off-the-Shoulder Cardigan No. 8402—as shown on back cover. Instructions on page 20.

JAMES LEES AND SONS COMPANY

Lees

Bridgeport, Penna.

For instructions see inside back cover

ANOTHER FAMOUS PRODUCT . . . LEES CARPETS